


Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:


Listing of Claims:

1. (Original) A compound of formula I



as well as optical isomers and racemates thereof as well as pharmaceutically acceptable salts, prodrugs, solvates and crystalline forms thereof, wherein

A is situated in the ortho, meta or para position and represents



R is hydrogen;

-OR^a, wherein R^a represents hydrogen, alkyl, aryl or alkylaryl;

-NR^aR^b, wherein R^a and R^b are the same or different and R^a is as defined above and R^b represents hydrogen, alkyl, aryl, alkylaryl, cyano, -OH, -Oalkyl, -Oaryl, -Oalkylaryl,

$-\text{COR}^c$ or $-\text{SO}_2\text{R}^d$, wherein R^c represents hydrogen, alkyl, aryl or alkylaryl and R^d represents alkyl, aryl or alkylaryl;

R^1 is alkyl, aryl, alkenyl, alkynyl, or when A is

$$\begin{array}{c} \text{R}^3 \quad \text{R}^1 \\ | \quad | \\ -\text{C}-\text{C}-\text{COR} \\ | \quad | \\ \text{R}^4 \quad \text{R}^2 \end{array}$$

R^1 can also be cyano;

$-\text{OR}^e$, wherein R^e is alkyl, acyl, aryl or alkylaryl;

$-\text{O}[\text{CH}_2]_m-\text{OR}^f$, wherein R^f represents hydrogen, alkyl, acyl, aryl or alkylaryl and m represents an integer 1-8;

$-\text{OCONR}^a\text{R}^c$, wherein R^a and R^c are as defined above;

$-\text{SR}^d$, wherein R^d is as defined above;

$-\text{SO}_2\text{NR}^a\text{R}^f$, wherein R^f and R^a are as defined above;

$-\text{SO}_2\text{OR}^a$, wherein R^a is as defined above;

$-\text{COOR}^d$, wherein R^d is as defined above;

R^2 is hydrogen, halogen, alkyl, aryl, or alkylaryl,

R^3 and R^4 are the same or different and each represents hydrogen, alkyl, aryl, or alkylaryl;


T represents O, S or a single bond;

n represents 1, 2, 3 or 4;


R^5 and R^6 are independently selected substituents, comprising C, H, N, O, S, Se, P or halogen atoms, which give compounds of the General Formula I a molecular weight < 650;

with a first proviso that

when A is $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOC}_2\text{H}_5$ or $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOH}$; T is O; n is 1 and R^5 represents a C_{2-4} alkyl group then R^6 does not represent a group of formula



wherein R^x represents chloro, trifluoromethyl or trifluoromethoxy, R^y represents H or fluoro; and a second proviso that when A is $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOC}_2\text{H}_5$ or $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOH}$; T is O; n is 1 and R^5 represents hexyl or heptyl then R^6 does not represent a group of formula



wherein R^z represents phenyl, 2,4-difluorophenyl or cyclohexyl, and n is 1 or 2;

provided that the compound of formula I is not:

(2S)-4-[2-[[2-[[[(2,6-dichlorophenyl)methyl]thio]ethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[butyl(1-phenylethyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[[2-(3-pyridinyl)ethyl]amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -phenoxy- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-[(1-methyl-3-phenylpropyl)amino]-2-oxoethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[4-(4-(trifluoromethyl)phenyl)-1-piperazinyl]ethoxy]- benzenepropanoic acid;

(2S)-4-[2-[[2-(4-bromophenyl)ethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[4-[(4-chlorophenyl)phenylmethyl]-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;


- (2S)-4-[2-[[2-[ethyl(3-methylphenyl)amino]ethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- α -methoxy- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[(3-methylbutyl)amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)-4-[2-[4-(diphenylmethyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-(heptylamino)-2-oxoethoxy]- α -methoxy- α -methyl- benzenepropanoic acid;
- 4-[2-[4-(2-fluorophenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy-, benzenepropanoic acid;
- (2S)-4-[2-[4-(4-chlorobenzoyl)-1-piperidinyl]-2-oxoethoxy]- α -methoxy-, benzenepropanoic acid;
- (2S)-4-[2-[ethyl[(3-methylphenyl)methyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-oxo-2-[(4-phenoxyphenyl)amino]ethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[(1-methylhexyl)amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)-4-[2-[[1,1'-biphenyl]-4-ylmethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- 3-[2-[[cis-4-(1,1-dimethylethyl)cyclohexyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-[4-(3-chlorophenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[methyl[(1S)-1-phenylethyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[4-(4-methylphenyl)-1-piperazinyl]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[[3-(methylphenylamino)propyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)-4-[2-(cyclobutylamino)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

- (2S)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -[4-(trifluoromethoxy)phenoxy]- benzenepropanoic acid;
- (2S)-4-[2-(heptylamino)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-[4-(4-fluorophenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[[1S)-1-(1-naphthalenyl)ethyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-oxo-2-[[1R)-1-phenylethyl](phenylmethyl)amino]ethoxy]- benzenepropanoic acid;
- (2S)-4-[2-[(3,3-diphenylpropyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-[[trans-4-(1,1-dimethylethyl)cyclohexyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -phenoxy-, ethyl ester- benzenepropanoic acid;
- (2S)-4-[2-[(2,2,3,3,4,4,4-heptafluorobutyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-(3,4-dihydro-2(1H)-isoquinoliny)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-3-[2-[[2-(4-ethylphenyl)ethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[(1-naphthalenylmethyl)amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)-4-[2-[[4-(4-chlorophenyl)phenylmethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-oxo-2-[[2-(2-pyridinyl)ethyl]amino]ethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-oxo-2-[[1S)-1-phenylethyl]amino]ethoxy]- benzenepropanoic acid;
- (2S)-4-[2-(cyclopentylamino)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[4-[bis(4-fluorophenyl)methyl]-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
4-[2-[cyclohexyl[2-(4-ethylphenyl)ethyl]amino]-2-oxoethoxy]- α -ethoxy- benzenepropanoic acid;
(2S)-4-[2-[(1,3-benzodioxol-5-ylmethyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
D-Phenylalanine, N-[[4-[(2S)-2-carboxy-2-methoxyethyl]phenoxy]acetyl]-, α -methyl ester;
(2S)-4-[2-[4-[(4-fluorophenyl)methyl]-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
 α -methoxy-3-[2-oxo-2-[(4-phenoxyphenyl)amino]ethoxy]- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-[(1-methylbutyl)amino]-2-oxoethoxy]- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-[methyl(1-naphthalenylmethyl)amino]-2-oxoethoxy]- benzenepropanoic acid;
(2S)-3-[2-[[trans-4-(1,1-dimethylethyl)cyclohexyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[4-[(4-chlorophenyl)methyl]-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[4-(4-fluorobenzoyl)-1-piperidinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[ethyl[(2-fluorophenyl)methyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-[[2-(4-methoxyphenoxy)ethyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
(2S)-4-[2-[(1,3-dimethylbutyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -(4-fluorophenoxy)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- benzenepropanoic acid;
(2S)-4-[2-[(3,3-dimethylbutyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[4-(4-chlorophenyl)-3-methyl-1-piperazinyl]-2-

oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-oxo-2-[[[(1R)-1-phenylethyl]amino]ethoxy]- benzenepropanoic acid;
(2S)-4-[2-[4-(4-acetylphenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[(3-ethoxy-3-oxopropyl)(phenylmethyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[[cis-4-(1,1-dimethylethyl)cyclohexyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -ethyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -phenoxy- benzenepropanoic acid;
(2S)-4-[2-(hexylamino)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-oxo-2-[(2-phenylethyl)(phenylmethyl)amino]ethoxy]- benzenepropanoic acid;
or
(2S)-4-[2-[ethyl[2-(4-methoxyphenyl)-1-methylethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid.


2. (Original) A compound of formula I



as well as optical isomers and racemates thereof as well as pharmaceutically acceptable salts, prodrugs, solvates and crystalline forms thereof

wherein


A is situated in the ortho, meta or para position and represents



R is hydrogen;

-OR^a, wherein R^a represents hydrogen, alkyl, aryl or alkylaryl;

-NR^aR^b, wherein R^a and R^b are the same or different and R^a is as defined above and R^b represents hydrogen, alkyl, aryl, alkylaryl, cyano, -OH, -Oalkyl, -Oaryl, -Oalkylaryl, -COR^c or -SO₂R^d, wherein R^c represents hydrogen, alkyl, aryl or alkylaryl and R^d represents alkyl, aryl or alkylaryl;



R¹ is alkyl, aryl, alkenyl, alkynyl, or when A is $\begin{array}{c} \text{R}^3 \quad \text{R}^1 \\ | \quad | \\ -\text{C}-\text{C}-\text{COR} \\ | \quad | \\ \text{R}^4 \quad \text{R}^2 \end{array}$ R¹ can also be cyano;

-OR^e, wherein R^e is alkyl, acyl, aryl or alkylaryl;

-O-[CH₂]_m-OR^f, wherein R^f represents hydrogen, alkyl, acyl, aryl or alkylaryl and m represents an integer 1-8;

-OCONR^aR^c, wherein R^a and R^c are as defined above;

-SR^d, wherein R^d is as defined above;

-SO₂NR^aR^f, wherein R^f and R^a are as defined above;

-SO₂OR^a, wherein R^a is as defined above;

-COOR^d, wherein R^d is as defined above;

R^2 is hydrogen, halogen, alkyl, aryl, or alkylaryl,

R^3 and R^4 are the same or different and each represents hydrogen, alkyl, aryl, or alkylaryl;


T represents O, S or a single bond;

n represents 1, 2, 3 or 4;

R^5 and R^6 are independently selected substituents, comprising C, H, N, O, S, Se, P or halogen atoms, which give compounds of the General Formula I a molecular weight < 650;


with a first proviso that

when A is $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOC}_2\text{H}_5$ or $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOH}$; T is O; n is 1 and R^5 represents a C_{2-4} alkyl group then R^6 does not represent a group of formula



wherein R^x represents chloro, trifluoromethyl or trifluoromethoxy, R^y represents H or fluoro;

and a second proviso that when A is $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOC}_2\text{H}_5$ or $\text{CH}_2\text{CH}(\text{OC}_2\text{H}_5)\text{COOH}$; T is O; n is 1 and R^5 represents hexyl or heptyl then R^6 does not represent a group of formula



wherein R^z represents phenyl, 2,4-difluorophenyl or cyclohexyl, and n is 1 or 2;

provided that the compound of formula I is not:

(2S)-4-[2-[[2-[[[(2,6-dichlorophenyl)methyl]thio]ethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[butyl(1-phenylethyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[[2-(3-pyridinyl)ethyl]amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -phenoxy- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-[(1-methyl-3-phenylpropyl)amino]-2-oxoethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[4-(4-(trifluoromethyl)phenyl)-1-piperazinyl]ethoxy]- benzenepropanoic acid;

(2S)-4-[2-[[2-(4-bromophenyl)ethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[4-[(4-chlorophenyl)phenylmethyl]-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[[2-[ethyl(3-methylphenyl)amino]ethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

α -methoxy- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-[(3-methylbutyl)amino]-2-oxoethoxy]- benzenepropanoic acid;

(2S)-4-[2-[4-(diphenylmethyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-(heptylamino)-2-oxoethoxy]- α -methoxy- α -methyl- benzenepropanoic acid;

4-[2-[4-(2-fluorophenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy-, benzenepropanoic acid;

(2S)-4-[2-[4-(4-chlorobenzoyl)-1-piperidinyl]-2-oxoethoxy]- α -methoxy-, benzenepropanoic acid;

(2S)-4-[2-[ethyl[(3-methylphenyl)methyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[(4-phenoxyphenyl)amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-[(1-methylhexyl)amino]-2-oxoethoxy]- benzenepropanoic acid;

- (2S)-4-[2-[[[1,1'-biphenyl]-4-ylmethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- 3-[2-[[cis-4-(1,1-dimethylethyl)cyclohexyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-[4-(3-chlorophenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[methyl[(1S)-1-phenylethyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[4-(4-methylphenyl)-1-piperazinyl]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[[3-(methylphenylamino)propyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)-4-[2-(cyclobutylamino)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -[4-(trifluoromethoxy)phenoxy]- benzenepropanoic acid;
- (2S)-4-[2-(heptylamino)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-[4-(4-fluorophenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-[[[(1S)-1-(1-naphthalenyl)ethyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
- (2S)- α -methoxy-4-[2-oxo-2-[[[(1R)-1-phenylethyl](phenylmethyl)amino]ethoxy]- benzenepropanoic acid;
- (2S)-4-[2-[(3,3-diphenylpropyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-[[trans-4-(1,1-dimethylethyl)cyclohexyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -phenoxy-, ethyl ester- benzenepropanoic acid;
- (2S)-4-[2-[(2,2,3,3,4,4,4-heptafluorobutyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
- (2S)-4-[2-(3,4-dihydro-2(1H)-isoquinolinyl)-2-oxoethoxy]-

α -methoxy- benzenepropanoic acid;

(2S)-3-[2-[[2-(4-ethylphenyl)ethyl]amino]-2-oxoethoxy]-
 α -methoxy- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-[(1-naphthalenylmethyl)amino]-
2-oxoethoxy]- benzenepropanoic acid;

(2S)-4-[2-[[4-(chlorophenyl)phenylmethyl]amino]-2-
oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[[2-(2-
pyridinyl)ethyl]amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-oxo-2-[(1S)-1-
phenylethyl]amino]ethoxy]- benzenepropanoic acid;

(2S)-4-[2-(cyclopentylamino)-2-oxoethoxy]- α -
methoxy- benzenepropanoic acid;

(2S)-4-[2-[4-[bis(4-fluorophenyl)methyl]-1-piperazinyl]-
2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

4-[2-[cyclohexyl[2-(4-ethylphenyl)ethyl]amino]-2-
oxoethoxy]- α -ethoxy- benzenepropanoic acid;

(2S)-4-[2-[(1,3-benzodioxol-5-ylmethyl)amino]-2-
oxoethoxy]- α -methoxy- benzenepropanoic acid;

D-Phenylalanine, N-[[4-[(2S)-2-carboxy-2-methoxyethyl]phenoxy]acetyl]-,
 α -methyl ester;

(2S)-4-[2-[4-[(4-fluorophenyl)methyl]-1-piperazinyl]-2-
oxoethoxy]- α -methoxy- benzenepropanoic acid;

α -methoxy-3-[2-oxo-2-[(4-
phenoxyphenyl)amino]ethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-[(1-methylbutyl)amino]-2-
oxoethoxy]- benzenepropanoic acid;

(2S)- α -methoxy-4-[2-[methyl(1-
naphthalenylmethyl)amino]-2-oxoethoxy]- benzenepropanoic acid;

(2S)-3-[2-[[trans-4-(1,1-dimethylethyl)cyclohexyl]amino]-
2-oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[4-[(4-chlorophenyl)methyl]-1-piperazinyl]-2-
oxoethoxy]- α -methoxy- benzenepropanoic acid;

(2S)-4-[2-[4-(4-fluorobenzoyl)-1-piperidinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[ethyl[(2-fluorophenyl)methyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-[[2-(4-methoxyphenoxy)ethyl]amino]-2-oxoethoxy]- benzenepropanoic acid;
(2S)-4-[2-[(1,3-dimethylbutyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -(4-fluorophenoxy)- α -methyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- benzenepropanoic acid;
(2S)-4-[2-[(3,3-dimethylbutyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[4-(4-chlorophenyl)-3-methyl-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-oxo-2-[[2-(1R)-1-phenylethyl]amino]ethoxy]- benzenepropanoic acid;
(2S)-4-[2-[4-(4-acetylphenyl)-1-piperazinyl]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[(3-ethoxy-3-oxopropyl)(phenylmethyl)amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)-4-[2-[[cis-4-(1,1-dimethylethyl)cyclohexyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -ethyl-4-[2-oxo-2-[[2-(4-phenoxyphenyl)ethyl]amino]ethoxy]- α -phenoxy- benzenepropanoic acid;
(2S)-4-[2-(hexylamino)-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
(2S)- α -methoxy-4-[2-oxo-2-[(2-phenylethyl)(phenylmethyl)amino]ethoxy]- benzenepropanoic acid;
(2S)-4-[2-[ethyl[2-(4-methoxyphenyl)-1-methylethyl]amino]-2-oxoethoxy]- α -methoxy- benzenepropanoic acid;
[[4-[2-oxo-2-[[phenyl[2-(1-piperidinyl)phenyl]methyl]amino]ethyl]phenyl]methyl]-, diethyl ester-propanedioic acid;
4-[2-(heptylamino)-2-oxoethyl]- α,α -

dimethyl-, ethyl ester - benzenepropanoic acid;
2-[[4-(2-amino-2-oxoethoxy)phenyl]methylene]-3-oxo-, methyl ester -butanoic acid;
4-[2-[methyl(2-phenylethyl)amino]-2-oxoethyl]- α -phenyl-,ethyl ester- benzenepropanoic acid;
4-[2-(heptylamino)-2-oxoethyl]- α,α -dimethyl-, ethyl ester - benzenepropanoic acid;
4-[2-[[2-[[[(1,1-dimethylethoxy)carbonyl]methylamino]-4-hydroxyphenyl]amino]-2-oxoethoxy]- α -(methylthio)-, ethyl ester-benzenepropanoic acid;
[[4-[2-oxo-2-[[phenyl[2-(1-piperidinyl)phenyl]methyl]aminoethyl]phenyl]methyl]-propanedioic acid;
N-[3-[4-[2-[methyl(2-phenylethyl)amino]-2-oxoethyl]phenyl]-1-oxo-2-phenylpropyl]-, methyl ester - glycine;
4-[2-[methyl(2-phenylethyl)amino]-2-oxoethyl]- α -phenyl-benzenepropanoic acid;
N-[3-[4-[2-[methyl(2-phenylethyl)amino]-2-oxoethyl]phenyl]-1-oxo-2-phenylpropyl]-glycine;
or
4-[3-[methyl(2-phenylethyl)amino]-3-oxopropyl]- α -phenyl-benzenepropanoic acid.

3. (Currently amended) A compound according to claim 1-~~or 2~~ wherein R⁵ and R⁶ are independently selected substituents, comprising C, H, N, O, S or halogen atoms, which give compounds of the General Formula I a molecular weight < 650.

4. (Currently amended) A compound according to claim 1-~~or 2~~ wherein R⁵ and R⁶ independently represent hydrogen, C₁₋₁₃alkyl, C₂₋₁₀alkenyl or C₂₋₁₀alkynyl each of which is optionally substituted by one or more of the following which may be the same or different: C₃₋₈cycloalkyl, C₃₋₈cycloalkenyl, aryl, heterocyclyl, heteroaryl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), C₃₋₈cycloalkoxy, C₃₋₈cycloalkenyloxy, aryloxy, heterocyclyloxy, heteroaryloxy, C₃₋₈cycloalkyl C₁₋₈alkoxy, aryl C₁₋₈alkoxy, heterocyclyl C₁₋₈alkoxy or heteroaryl C₁₋₈alkoxy, fluorine or hydroxy and wherein each of these substituents may optionally be substituted on carbon with one or more substituents which may be the same or different and

selected from C₁₋₈alkyl, C₃₋₈cycloalkyl (optionally substituted by C₁₋₈alkyl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), halogen, hydroxy, nitro or cyano), aryl (optionally substituted by C₁₋₈alkyl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), halogen, hydroxy, nitro or cyano), heterocyclyl (optionally substituted by C₁₋₆alkyl on any nitrogen), heteroaryl (optionally substituted by C₁₋₈alkyl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), halogen, hydroxy, nitro or cyano), C₁₋₈alkoxy (optionally substituted by one or more fluoro), C₃₋₈cycloalkoxy, C₃₋₈ cycloalkyl C₁₋₈alkoxy, aryloxy (optionally substituted by C₁₋₈alkyl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), halogen, hydroxy, nitro or cyano), aryl C₁₋₈alkoxy (wherein the aryl part is optionally substituted by C₁₋₈alkyl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), halogen, hydroxy, nitro or cyano), halogen, amino, nitro, hydroxy, methylsulfonyl, methylsulfonyloxy, cyano or methylenedioxy,

or R⁵ and R⁶ independently represent C₃₋₈ cycloalkyl; C₃₋₈ cycloalkenyl; aryl; heterocyclyl; or heteroaryl; wherein each of these groups is optionally substituted by one or more of the following: C₁₋₈alkyl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), halogen, hydroxy, nitro or cyano), aryl (optionally substituted by C₁₋₈alkyl, C₁₋₈alkoxy (optionally substituted by one or more fluoro), halogen, hydroxy, nitro or cyano;
or R⁵ and R⁶ together with the nitrogen atom to which they are attached form a single or a fused heterocyclic system.

5. (Currently amended) A compound according to claim 1[, ~~claim 2 or claim 4~~] wherein A is CH₂CH(OR^l)COOR^m wherein R^l represents C₁₋₄alkyl and wherein R^m represents H or C₁₋₄alkyl.

6. (Currently amended) A compound according to ~~any of the claims 1 to 5~~ claim 1 wherein n represents 2, 3 or 4.

7. (Currently amended) A compound according to ~~any of the claims 1 to 6~~ claim 1 wherein R^3 and R^4 are the same or different and each represents alkyl, aryl or alkylaryl.

8. (Currently amended) A compound according to ~~any of the claims 1 to 6~~ claim 1 wherein R^3 and R^4 are hydrogen.

9. (Currently amended) A compound according to ~~any of the claims 1 to 8~~ claim 1 wherein R^5 and R^6 are independently selected substituents, comprising C, N, O, S, Se, P or halogen atoms.

10. (Currently amended) A compound according to ~~any of the claims 1 to 8~~ claim 1 wherein when either of R^5 and R^6 is hydrogen, the other is not an alkyl.

11. (Currently amended) A compound according to ~~any of the claims 1 to 10~~ claim 1 wherein R^2 is hydrogen or fluorine.

12. (Original) One or more compounds selected from:

(2*S*)-3-(4-{2-[(2,4-Difluorobenzyl)(octyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(2,4-Difluorobenzyl)(nonyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(2,4-Difluorobenzyl)(4-ethylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[Benzyl(methyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-2-Ethoxy-3-[4-(2-{heptyl[(1-methylindol-2-yl)methyl]amino}-2-oxoethoxy)phenyl]propanoic acid

(2*S*)-3-(4-{2-[(2,3-Dimethoxybenzyl)(heptyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[Butyl(2,3-dimethoxybenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[(4-Chlorobenzyl)(4-isopropylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[(Cyclohexylmethyl)(2,4-difluorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-2-Ethoxy-3-(4-{2-[ethyl(2-fluorobenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2S)-3-(4-{2-[[4-(benzyloxy)benzyl](butyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[bis(4-Chlorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[(4-*tert*-Butylbenzyl)(4-chlorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-[4-(2-{(4-Chlorobenzyl)[4-(trifluoromethyl)benzyl]amino}-2-oxoethoxy)phenyl]-2-ethoxypropanoic acid

(2S)-3-[4-(2-{bis[4-(Trifluoromethyl)benzyl]amino}-2-oxoethoxy)phenyl]-2-ethoxypropanoic acid

(2S)-3-(4-{2-[Benzyl(ethyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid and

(2S)-3-(4-{2-[(4-*tert*-Butylbenzyl)(ethyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[benzyl(4-isopropylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-2-ethoxy-3-(4-{2-[(3-ethoxypropyl)(4-isopropylbenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2S)-3-(4-{2-[butyl(4-isopropylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[(2-chlorobenzyl)(heptyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-2-ethoxy-3-(4-{2-[heptyl(4-isopropylbenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2S)-3-(4-{2-[[4-(cyanocyclohexyl)methyl](4-isopropylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-2-ethoxy-3-(4-{2-[(4-isopropylbenzyl)(2-methoxybenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2S)-3-(4-{2-[(2-chlorobenzyl)(4-chlorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(4-chlorobenzyl)(2,3-dimethoxybenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(1,3-benzodioxol-5-ylmethyl)(4-ethoxybenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(1,3-benzodioxol-5-ylmethyl)(3-bromobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-[4-(2-{(1,3-benzodioxol-5-ylmethyl)[3-(trifluoromethyl)benzyl]amino}-2-oxoethoxy)phenyl]-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(3,5-dimethoxybenzyl)(4-ethoxybenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(3-chloro-4-fluorobenzyl)(4-ethoxybenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-2-ethoxy-3-(4-{2-[(4-ethoxybenzyl)(2-thienylmethyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2*S*)-3-(4-{2-[benzyl(isopropyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-{4-[2-(dibenzylamino)-2-oxoethoxy]phenyl}-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[bis(2-methoxyethyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-2-ethoxy-3-[4-(2-{heptyl[4-(trifluoromethyl)benzyl]amino}-2-oxoethoxy)phenyl]propanoic acid

(2*S*)-2-ethoxy-3-[4-(2-{heptyl[4-(trifluoromethoxy)benzyl]amino}-2-oxoethoxy)phenyl]propanoic acid

(2*S*)-2-ethoxy-3-(4-{2-[(4-ethylbenzyl)(heptyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2*S*)-3-(4-{2-[(4-*tert*-butylbenzyl)(heptyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-2-ethoxy-3-(4-{2-[heptyl(4-isobutylbenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2*S*)-3-(4-{2-[benzyl(heptyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-2-ethoxy-3-(4-{2-[(4-fluorobenzyl)(heptyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2*S*)-3-(4-{2-[(4-chlorobenzyl)(heptyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[(4-bromobenzyl)(heptyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2*S*)-3-(4-{2-[butyl(4-ethylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[butyl(4-*tert*-butylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[butyl(4-isobutylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[benzyl(butyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[butyl(4-fluorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[(4-bromobenzyl)(butyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[butyl(2,4-difluorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-[4-(2-{(4-chlorobenzyl)[4-(trifluoromethoxy)benzyl]amino}-2-oxoethoxy)phenyl]-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[(4-chlorobenzyl)(4-ethylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[(4-chlorobenzyl)(4-isobutylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[benzyl(4-chlorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[(4-chlorobenzyl)(4-fluorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[(4-bromobenzyl)(4-chlorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-3-(4-{2-[(4-chlorobenzyl)(2,4-difluorobenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid
(2*S*)-2-ethoxy-3-[4-(2-{(4-methylbenzyl)[4-(trifluoromethyl)benzyl]amino}-2-oxoethoxy)phenyl]propanoic acid
(2*S*)-2-ethoxy-3-[4-(2-{(4-methylbenzyl)[4-(trifluoromethoxy)benzyl]amino}-2-oxoethoxy)phenyl]propanoic acid
(2*S*)-2-ethoxy-3-(4-{2-[(4-ethylbenzyl)(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid
(2*S*)-3-(4-{2-[(4-*tert*-butylbenzyl)(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-2-ethoxy-3-(4-{2-[(4-isobutylbenzyl)(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2S)-3-(4-{2-[benzyl(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-2-ethoxy-3-(4-{2-[(4-fluorobenzyl)(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)propanoic acid

(2S)-3-(4-{2-[(4-chlorobenzyl)(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[(4-bromobenzyl)(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

(2S)-3-(4-{2-[(2,4-difluorobenzyl)(4-methylbenzyl)amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid

and pharmaceutically acceptable salts thereof.

13. (Currently amended) A pharmaceutical formulation comprising a compound according to ~~any one of claims 1 or 12~~ claim 1 in admixture with pharmaceutically acceptable adjuvants, diluents and/or carriers.


14. (Currently amended) A method of treating or preventing lipid disorders (dyslipidemia) whether or not associated with insulin resistance comprising the administration of a compound according to ~~any one of claims 1 or 12~~ claim 1 to a mammal in need thereof.

15. (Currently amended) The use of a compound according to ~~any one of claims 1 to 12~~ claim 1 in the manufacture of a medicament for the treatment of lipid disorders (dyslipidemia) whether or not associated with insulin resistance.

16. (Currently amended) A method of treating or preventing type 2 diabetes comprising the administration of an effective amount of a compound of formula I according to ~~any one of claims 1 to 15~~ claim 1 to a mammal in need thereof.

17. (Currently amended) A pharmaceutical composition comprising a compound according to ~~any one of claims 1 to 11~~ claim 1 combined with another therapeutic agent that is useful in the treatment of disorders associated with the development and progress of atherosclerosis such as hypertension, hyperlipidaemias, dyslipidaemias, diabetes and obesity.

18. (Original) A compound of formula VI:



VI

wherein R⁵, R⁶ and n is as defined in any of the preceding claims and X is a leaving group, such as a halide, OSO₂CH₃, OTosyl, ONosyl, OSO₂CF₃, OC(O)OR, OP(O)(OR)₂ or OSO₂OR, particularly chloro or bromo.